


Shortcodes Ultimate: Cheatsheet

[← Back to Dashboard](#)

Shortcode	Attributes	Example code
 Heading Styled heading	<p>Style – style Possible values: default Default value: default</p> <p>Size – size Possible values: 7...48 Default value: 13</p> <p>Align – align Possible values: left, center, right Default value: center</p> <p>Margin – margin Possible values: 0...200 Default value: 20</p> <p>Class – class Possible values: Any custom CSS classes</p>	<pre>[su_heading style="default" size="13" align="center" margin="20" class=""]Heading text[/su_heading]</pre>
 Tabs Tabs container	<p>Style – style Possible values: default Default value: default</p> <p>Active tab – active Possible values: 1...100 Default value: 1</p> <p>Vertical – vertical Possible values: yes no Default value: no</p> <p>Class – class Possible values: Any custom CSS classes</p>	<pre>[su_tabs style="default" active="1" vertical="no" class=""] [su_tab title="Title 1"]Content 1[/su_tab] [su_tab title="Title 2"]Content 2[/su_tab] [su_tab title="Title 3"]Content 3[/su_tab][/su_tabs]</pre>
 Tab Single tab	<p>Title – title Possible values: Tab name Default value: Tab name</p> <p>Disabled – disabled Possible values: yes no Default value: no</p> <p>Anchor – anchor Possible values: Any text value</p> <p>URL – url Possible values: Any text value</p> <p>Link target – target Possible values: self, blank Default value: blank</p>	<pre>[su_tab title="Tab name" disabled="no" anchor="" url="" target="blank" class=""]Tab content[/su_tab]</pre>

Class – class
Possible values: Any custom CSS classes

 **Spoiler**
Spoiler with hidden content

Title – title
Possible values: Spoiler title
Default value: Spoiler title

Open – open
Possible values: yes | no
Default value: no


Style – style
Possible values: default, fancy, simple
Default value: default

Icon – icon
Possible values: plus, plus-circle, plus-square-1, plus-square-2, arrow, arrow-circle-1, arrow-circle-2, chevron, chevron-circle, caret, caret-square, folder-1, folder-2
Default value: plus

Anchor – anchor
Possible values: Any text value


Class – class
Possible values: Any custom CSS classes

```
[su_spoiler title="Spoiler title" open="no" style="default" icon="plus" anchor="" class=""]Hidden content[/su_spoiler]
```

 **Accordion**
Accordion with spoilers

Class – class
Possible values: Any custom CSS classes

```
[su_accordion class=""]  
[su_spoiler]Content[/su_spoiler]  
[su_spoiler]Content[/su_spoiler]  
[su_spoiler]Content[/su_spoiler][[/su_accordion]
```

 **Divider**
Content divider with optional TOP link

Show TOP link – top
Possible values: yes | no
Default value: yes

Link text – text
Possible values: Go to top
Default value: Go to top

Style – style
Possible values: default, dotted, dashed, double
Default value: default

Divider color – divider_color
Possible values: #RGB and rgba() colors
Default value: #999999

Link color – link_color
Possible values: #RGB and rgba() colors
Default value: #999999

Size – size
Possible values: 0...40
Default value: 3


Margin – margin
Possible values: 0...200

```
[su_divider top="yes" text="Go to top" style="default" divider_color="#999999" link_color="#999999" size="3" margin="15" class=""]
```

Default value: 15

Class – class

Possible values: Any custom CSS classes

 **Spacer**
Empty space
with adjustable
height

Height – size

Possible values: 0...800

Default value: 20

Class – class

Possible values: Any custom CSS classes

```
[su_spacer size="20" class=""]
```

 **Highlight**
Highlighted text

Background – background

Possible values: #RGB and rgba() colors

Default value: #DDFF99

Text color – color


Possible values: #RGB and rgba() colors

Default value: #000000

Class – class

Possible values: Any custom CSS classes

```
[su_highlight background="#DDFF99" color="#000000" class=""]Highlighted text[/su_highlight]
```

 **Label**
Styled label

Type – type


Possible values: default, success, warning,
important, black, info

Default value: default

Class – class

Possible values: Any custom CSS classes

```
[su_label type="default" class=""]Label[/su_label]
```

 **Quote**
Blockquote
alternative

Style – style

Possible values: default

Default value: default

Cite – cite

Possible values: Any text value


Cite url – url

Possible values: Any text value

Class – class

Possible values: Any custom CSS classes

```
[su_quote style="default" cite="" url="" class=""]Quote[/su_quote]
```

 **Pullquote**
Pullquote

Align – align

Possible values: left, right

Default value: left

Class – class

Possible values: Any custom CSS classes

```
[su_pullquote align="left" class=""]Pullquote[/su_pullquote]
```

 **Dropcap**
Dropcap

Style – style

Possible values: default, flat, light, simple

Default value: default


Size – size

Possible values: 1...5

Default value: 3

```
[su_dropcap style="default" size="3" class=""]D[/su_dropcap]
```


Class – class
Possible values: Any custom CSS classes

 **Frame**
Styled image
frame

Align – align
Possible values: left, center, right
Default value: left


```
[su_frame align="left" class=""][/su_frame]
```

Class – class
Possible values: Any custom CSS classes

 **Row**
Row for flexible
columns

Class – class
Possible values: Any custom CSS classes

```
[su_row class=""] [su_column  
size="1/3"]Content[/su_column]  
[su_column size="1/3"]Content[/su_column]  
[su_column size="1/3"]Content[/su_column] [/su_row]
```


 **Column**
Flexible and
responsive
columns

Size – size
Possible values: 1/1, 1/2, 1/3, 2/3, 1/4, 3/4,
1/5, 2/5, 3/5, 4/5, 1/6, 5/6
Default value: 1/2

```
[su_column size="1/2" center="no" class=""]Column  
content[/su_column]
```

Centered – center
Possible values: yes | no
Default value: no

Class – class
Possible values: Any custom CSS classes


 **List**
Styled
unordered list

Icon – icon
Possible values: icon: music, icon: envelope ...
[full list](#)

```
[su_list icon="" icon_color="#333333" class=""]<ul>  
<li>List item</li>  
<li>List item</li>  
<li>List item</li>  
</ul>[/su_list]
```

Icon color – icon_color
Possible values: #RGB and rgba() colors
Default value: #333333

Class – class
Possible values: Any custom CSS classes

 **Button**
Styled button

Link – url
Possible values:
http://member.belajarbisnisinternet.com
Default value:
http://member.belajarbisnisinternet.com

```
[su_button  
url="http://member.belajarbisnisinternet.com"  
target="self" style="default" background="#2D89EF"  
color="#FFFFFF" size="3" wide="no" center="no"  
radius="auto" icon="" icon_color="#FFFFFF"  
text_shadow="none" desc="" onclick="" rel="" title=""  
class=""]Button text[/su_button]
```

Target – target
Possible values: self, blank
Default value: self

Style – style
Possible values: default, flat, ghost, soft,
glass, bubbles, noise, stroked, 3d
Default value: default

Background – background
Possible values: #RGB and rgba() colors
Default value: #2D89EF

Text color – color
Possible values: #RGB and rgba() colors
Default value: #FFFFFF

Size – size

Possible values: 1...20

Default value: 3

Fluid – wide

Possible values: yes | no

Default value: no

Centered – center

Possible values: yes | no

Default value: no

Radius – radius

Possible values: auto, round, 0, 5, 10, 20

Default value: auto

Icon – icon

Possible values: icon: music, icon: envelope ...

[full list](#)**Icon color** – icon_color

Possible values: #RGB and rgba() colors

Default value: #FFFFFF

Text shadow – text_shadow

Possible values: none

Default value: none

Description – desc

Possible values: Any text value

onClick – onclick

Possible values: Any text value

Rel attribute – rel

Possible values: Any text value

Title attribute – title

Possible values: Any text value

Class – class

Possible values: Any custom CSS classes

 ServiceService box
with title**Title** – title

Possible values: Service title

Default value: Service title

Icon – icon

Possible values: icon: music, icon: envelope ...

[full list](#)**Icon color** – icon_color

Possible values: #RGB and rgba() colors

Default value: #333333

Icon size – size

Possible values: 10...128

Default value: 32

```
[su_service title="Service title" icon=""
icon_color="#333333" size="32" class=""]Service
description[/su_service]
```

Class – class

Possible values: Any custom CSS classes

 **Box**

Colored box
with caption

Title – title

Possible values: Box title

Default value: Box title

Style – style

Possible values: default, soft, glass, bubbles,
noise

Default value: default

Color – box_color

Possible values: #RGB and rgba() colors

Default value: #333333

Title text color – title_color

Possible values: #RGB and rgba() colors

Default value: #FFFFFF

Radius – radius

Possible values: 0...20

Default value: 3

Class – class

Possible values: Any custom CSS classes

```
[su_box title="Box title" style="default"
box_color="#333333" title_color="#FFFFFF" radius="3"
class=""]Box content[/su_box]
```

 **Note**

Colored box

Background – note_color

Possible values: #RGB and rgba() colors

Default value: #FFFF66

Text color – text_color

Possible values: #RGB and rgba() colors

Default value: #333333

Radius – radius

Possible values: 0...20

Default value: 3

Class – class

Possible values: Any custom CSS classes

```
[su_note note_color="#FFFF66" text_color="#333333"
radius="3" class=""]Note text[/su_note]
```

 **Expand**

Expandable text
block

More text – more_text

Possible values: Show more

Default value: Show more

Less text – less_text

Possible values: Show less

Default value: Show less

Height – height

Possible values: 0...1000

Default value: 100

Hide less link – hide_less

Possible values: yes | no

Default value: no

Text color – text_color

```
[su_expand more_text="Show more" less_text="Show less"
height="100" hide_less="no" text_color="#333333"
link_color="#0088FF" link_style="default"
link_align="left" more_icon="" less_icon=""
class=""]This text block can be expanded[/su_expand]
```

Possible values: #RGB and rgba() colors

Default value: #333333

Link color – link_color

Possible values: #RGB and rgba() colors

Default value: #0088FF

Link style – link_style

Possible values: default, underlined, dotted, dashed, button

Default value: default

Link align – link_align

Possible values: left, center, right

Default value: left

More icon – more_icon

Possible values: icon: music, icon: envelope ...

[full list](#)

Less icon – less_icon

Possible values: icon: music, icon: envelope ...

[full list](#)

Class – class

Possible values: Any custom CSS classes



Lightbox

Lightbox window with custom content

Content type – type

Possible values: iframe, image, inline

Default value: iframe

Content source – src

Possible values: Any text value

Class – class

Possible values: Any custom CSS classes

```
[su_lightbox type="iframe" src="" class=""][su_button]
Click Here to Watch the Video [/su_button]
[/su_lightbox]
```



Lightbox content

Inline content for lightbox

ID – id

Possible values: Any text value

Width – width

Possible values: 50%

Default value: 50%

Margin – margin

Possible values: 0...600

Default value: 40

Padding – padding

Possible values: 0...600

Default value: 40

Text alignment – text_align

Possible values: left, center, right

Default value: center

Background color – background

Possible values: #RGB and rgba() colors


Default value: #FFFFFF

```
[su_lightbox_content id="" width="50%" margin="40"
padding="40" text_align="center" background="#FFFFFF"
color="#333333" shadow="0px 0px 15px #333333"
class=""]Inline content[/su_lightbox_content]
```

Text color – color
Possible values: #RGB and rgba() colors
Default value: #333333

Shadow – shadow
Possible values: 0px 0px 15px #333333
Default value: 0px 0px 15px #333333

Class – class
Possible values: Any custom CSS classes

 **Tooltip**
Tooltip window
with custom
content

Style – style
Possible values: light, dark, yellow, green, red, blue, youtube, tipsy, bootstrap, jtools, tipped, cluetip
Default value: yellow

Position – position
Possible values: north, south, west, east
Default value: top

Shadow – shadow
Possible values: yes | no
Default value: no

Rounded corners – rounded
Possible values: yes | no
Default value: no

Font size – size
Possible values: default, 1, 2, 3, 4, 5, 6
Default value: default

Tooltip title – title
Possible values: Any text value


Tooltip content – content
Possible values: Tooltip text
Default value: Tooltip text

Behavior – behavior
Possible values: hover, click, always
Default value: hover

Close button – close
Possible values: yes | no
Default value: no

Class – class
Possible values: Any custom CSS classes

```
[su_tooltip style="yellow" position="top" shadow="no" rounded="no" size="default" title="" content="Tooltip text" behavior="hover" close="no" class=""][su_button] Hover me to open tooltip [/su_button][su_tooltip]
```

 **Private**
Private note for
post authors

Class – class
Possible values: Any custom CSS classes

```
[su_private class=""]Private note text[/su_private]
```

 **YouTube**
YouTube video

Url – url
Possible values: Any text value

```
[su_youtube url="" width="600" height="400" responsive="yes" autoplay="no" class=""]
```

Width – width
Possible values: 200...1600

Default value: 600

Height – height

Possible values: 200...1600

Default value: 400

Responsive – responsive

Possible values: yes | no

Default value: yes

Autoplay – autoplay

Possible values: yes | no

Default value: no

Class – class

Possible values: Any custom CSS classes



YouTube Advanced

YouTube video player with advanced settings

Url – url

Possible values: Any text value

Playlist – playlist

Possible values: Any text value

Width – width

Possible values: 200...1600

Default value: 600

Height – height

Possible values: 200...1600

Default value: 400

Responsive – responsive

Possible values: yes | no

Default value: yes

Controls – controls

Possible values: no, yes, alt

Default value: yes

Autohide – autohide

Possible values: no, yes, alt

Default value: alt

Show title bar – showinfo

Possible values: yes | no

Default value: yes

Autoplay – autoplay

Possible values: yes | no

Default value: no

Loop – loop

Possible values: yes | no

Default value: no

Related videos – rel

Possible values: yes | no

Default value: yes

```
[su_youtube_advanced url="" playlist="" width="600" height="400" responsive="yes" controls="yes" autohide="alt" showinfo="yes" autoplay="no" loop="no" rel="yes" fs="yes" modestbranding="no" theme="dark" https="no" wmode="" class=""]
```

Show full-screen button – fs

Possible values: yes | no

Default value: yes

modestbranding – modestbranding

Possible values: yes | no

Default value: no

Theme – theme

Possible values: dark, light

Default value: dark

Force HTTPS – https

Possible values: yes | no

Default value: no

WMode – wmode

Possible values: Any text value

Class – class

Possible values: Any custom CSS classes



Url – url

Possible values: Any text value

```
[su_vimeo url="" width="600" height="400" responsive="yes" autoplay="no" class=""]
```

Width – width

Possible values: 200...1600

Default value: 600

Height – height

Possible values: 200...1600

Default value: 400

Responsive – responsive

Possible values: yes | no

Default value: yes

Autoplay – autoplay

Possible values: yes | no

Default value: no

Class – class

Possible values: Any custom CSS classes



Url – url

Possible values: Any text value

```
[su_screenr url="" width="600" height="400" responsive="yes" class=""]
```

Width – width

Possible values: 200...1600

Default value: 600

Height – height

Possible values: 200...1600


Default value: 400

Responsive – responsive

Possible values: yes | no

Default value: yes

Class – class
Possible values: Any custom CSS classes

 **Dailymotion**
Dailymotion
video

Url – url
Possible values: Any text value

Width – width
Possible values: 200...1600
Default value: 600

Height – height
Possible values: 200...1600
Default value: 400

Responsive – responsive
Possible values: yes | no
Default value: yes

Autoplay – autoplay
Possible values: yes | no
Default value: no

Background color – background
Possible values: #RGB and rgba() colors
Default value: #FFC300

Foreground color – foreground
Possible values: #RGB and rgba() colors
Default value: #F7FFFD

Highlight color – highlight
Possible values: #RGB and rgba() colors
Default value: #171D1B

Show logo – logo
Possible values: yes | no
Default value: yes


Quality – quality
Possible values: 240, 380, 480, 720, 1080
Default value: 380

Show related videos – related
Possible values: yes | no
Default value: yes

Show video info – info
Possible values: yes | no
Default value: yes

Class – class
Possible values: Any custom CSS classes

```
[su_dailymotion url="" width="600" height="400" responsive="yes" autoplay="no" background="#FFC300" foreground="#F7FFFD" highlight="#171D1B" logo="yes" quality="380" related="yes" info="yes" class=""]
```

 **Audio**
Custom audio
player

File – url
Possible values: Any text value

Width – width
Possible values: 100%
Default value: 100%

```
[su_audio url="" width="100%" autoplay="no" loop="no" class=""]
```

Autoplay – autoplay

Possible values: yes | no

Default value: no

Loop – loop

Possible values: yes | no

Default value: no

Class – class

Possible values: Any custom CSS classes

 **Video**

Custom video player

File – url

Possible values: Any text value

Poster – poster

Possible values: Any text value

Title – title

Possible values: Any text value

Width – width

Possible values: 200...1600

Default value: 600

Height – height

Possible values: 200...1600

Default value: 300

Controls – controls

Possible values: yes | no

Default value: yes

Autoplay – autoplay

Possible values: yes | no

Default value: no

Loop – loop


Possible values: yes | no

Default value: no

Class – class

Possible values: Any custom CSS classes

```
[su_video url="" poster="" title="" width="600"
height="300" controls="yes" autoplay="no" loop="no"
class=""]
```

 **Table**

Styled table from HTML or CSV file

CSV file – url

Possible values: Any text value

Class – class

Possible values: Any custom CSS classes

```
[su_table url="" class=""]
```

**Permalink**

Permalink to specified post/page

ID – id

Possible values: 1

Default value: 1

Target – target







Possible values: self, blank

Default value: self

Class – class

```
[su_permalink id="1" target="self" class=""]
```

Possible values: Any custom CSS classes

<p> Members Content for logged in members only</p>	<p>Message – message Possible values: This content is for registered users only. Please %login%. Default value: This content is for registered users only. Please %login%.</p> <p>Box color – color Possible values: #RGB and rgba() colors Default value: #ffcc00</p> <p>Login link text – login_text Possible values: login Default value: login</p> <p>Login link url – login_url Possible values: http://member.belajarbisnisinternet.com/wp-login.php Default value: http://member.belajarbisnisinternet.com/wp-login.php</p> <p>Class – class Possible values: Any custom CSS classes</p>	<pre>[su_members message="This content is for registered users only. Please %login%." color="#ffcc00" login_text="login" login_url="http://member.belajarbisnisinternet.com/wp-login.php" class=""]Content for logged members [/su_members]</pre>
<p> Guests Content for guests only</p>	<p>Class – class Possible values: Any custom CSS classes</p>	<pre>[su_guests class=""]Content for guests [/su_guests]</pre>
<p> RSS Feed Feed grabber</p>	<p>Url – url Possible values: Any text value</p> <p>Limit – limit Possible values: 1...20 Default value: 3</p> <p>Class – class Possible values: Any custom CSS classes</p>	<pre>[su_feed url="" limit="3" class=""]</pre>
<p> Menu Custom menu by name</p>	<p>Menu name – name Possible values: Any text value</p> <p>Class – class Possible values: Any custom CSS classes</p>	<pre>[su_menu name="" class=""]</pre>
<p> Sub pages List of sub pages</p>	<p>Depth – depth Possible values: 0, 1, 2, 3, 4 Default value: 1</p> <p>Parent ID – p Possible values: Any text value</p> <p>Class – class Possible values: Any custom CSS classes</p>	<pre>[su_subpages depth="1" p="" class=""]</pre>
<p> Siblings List of cureent page siblings</p>	<p>Depth – depth Possible values: 0, 1, 2 Default value: 1</p>	<pre>[su_siblings depth="1" class=""]</pre>

Class – class

Possible values: Any custom CSS classes



Document

Document

viewer by

Google

Url – url

Possible values: Any text value

Width – width

Possible values: 200...1600

Default value: 600

Height – height

Possible values: 200...1600

Default value: 600

Responsive – responsive

Possible values: yes | no

Default value: yes

Class – class

Possible values: Any custom CSS classes

```
[su_document url="" width="600" height="600" responsive="yes" class=""]
```



Gmap

Maps by Google

Width – width

Possible values: 200...1600

Default value: 600

Height – height

Possible values: 200...1600

Default value: 400

Responsive – responsive

Possible values: yes | no

Default value: yes

Marker – address

Possible values: Any text value

Class – class

Possible values: Any custom CSS classes

```
[su_gmap width="600" height="400" responsive="yes" address="" class=""]
```



Slider

Customizable

image slider

Source – source

Possible values: none

Default value: none

Limit – limit

Possible values: -1...100

Default value: 20

Links – link

Possible values: none, image, lightbox, custom, attachment, post

Default value: none

Links target – target

Possible values: self, blank

Default value: self

Width – width

Possible values: 200...1600

```
[su_slider source="none" limit="20" link="none" target="self" width="600" height="300" responsive="yes" title="yes" centered="yes" arrows="yes" pages="yes" mousewheel="yes" autoplay="5000" speed="600" class=""]
```

Default value: 600

Height – height

Possible values: 200...1600

Default value: 300

Responsive – responsive

Possible values: yes | no

Default value: yes

Show titles – title

Possible values: yes | no

Default value: yes

Center – centered

Possible values: yes | no

Default value: yes

Arrows – arrows

Possible values: yes | no

Default value: yes

Pagination – pages

Possible values: yes | no

Default value: yes

Mouse wheel control – mousewheel

Possible values: yes | no

Default value: yes

Autoplay – autoplay

Possible values: 0...100000

Default value: 5000

Speed – speed

Possible values: 0...20000

Default value: 600

Class – class

Possible values: Any custom CSS classes



Carousel

Customizable
image carousel

Source – source

Possible values: none

Default value: none

Limit – limit

Possible values: -1...100

Default value: 20

Links – link

Possible values: none, image, lightbox,
custom, attachment, post

Default value: none

Links target – target

Possible values: self, blank

Default value: self

Width – width

```
[su_carousel source="none" limit="20" link="none" target="self" width="600" height="100" responsive="yes" items="3" scroll="1" title="yes" centered="yes" arrows="yes" pages="no" mousewheel="yes" autoplay="5000" speed="600" class=""]
```

Possible values: 100...1600

Default value: 600

Height – height

Possible values: 20...1600

Default value: 100

Responsive – responsive

Possible values: yes | no

Default value: yes

Items to show – items

Possible values: 1...20

Default value: 3

Scroll number – scroll

Possible values: 1...20

Default value: 1

Show titles – title

Possible values: yes | no

Default value: yes

Center – centered

Possible values: yes | no

Default value: yes

Arrows – arrows

Possible values: yes | no

Default value: yes

Pagination – pages

Possible values: yes | no

Default value: no

Mouse wheel control – mousewheel

Possible values: yes | no

Default value: yes

Autoplay – autoplay

Possible values: 0...100000

Default value: 5000


Speed – speed

Possible values: 0...20000

Default value: 600

Class – class

Possible values: Any custom CSS classes

 **Gallery**
Customizable
image gallery

Source – source

Possible values: none

Default value: none

Limit – limit

Possible values: -1...100

Default value: 20

Links – link

```
[su_custom_gallery source="none" limit="20"
link="none" target="self" width="90" height="90"
title="hover" class=""]
```


Possible values: none, image, lightbox, custom, attachment, post

Default value: none

Links target – target

Possible values: self, blank

Default value: self

Width – width

Possible values: 10...1600

Default value: 90

Height – height

Possible values: 10...1600

Default value: 90

Show titles – title

Possible values: never, hover, always

Default value: hover

Class – class

Possible values: Any custom CSS classes

☰ Posts

Custom posts query with customizable template

Template – template

Possible values: templates/default-loop.php

Default value: templates/default-loop.php

Post ID's – id

Possible values: Any text value

Posts per page – posts_per_page

Possible values: -1...10000

Default value: 10

Post types – post_type

Possible values: post, page, attachment, revision, nav_menu_item, wpcf7_contact_form

Default value: post

Taxonomy – taxonomy

Possible values: category, post_tag, nav_menu, link_category, post_format

Default value: category

Terms – tax_term

Possible values: 1

Taxonomy term operator – tax_operator

Possible values: 0, 1, 2

Default value: IN

Authors – author

Possible values: Any text value

Meta key – meta_key

Possible values: Any text value

Offset – offset

Possible values: 0...10000

```
[su_posts template="templates/default-loop.php" id="" posts_per_page="10" post_type="post" taxonomy="category" tax_term="" tax_operator="IN" author="" meta_key="" offset="0" order="DESC" orderby="date" post_parent="" post_status="publish" ignore_sticky_posts="no"]
```

Default value: 0

Order – order

Possible values: desc, asc

Default value: DESC

Order by – orderby

Possible values: none, id, author, title, name, date, modified, parent, rand, comment_count, menu_order, meta_value

Default value: date

Post parent – post_parent

Possible values: Any text value

Post status – post_status


Possible values: publish, pending, draft, auto-draft, future, private, inherit, trash, any

Default value: publish

Ignore sticky – ignore_sticky_posts

Possible values: yes | no

Default value: no

 **Dummy text**
Text placeholder

What – what

Possible values: paras, words, bytes

Default value: paras

Amount – amount

Possible values: 1...100

Default value: 1

Cache – cache


Possible values: yes | no

Default value: yes

Class – class

Possible values: Any custom CSS classes

```
[su_dummy_text what="paras" amount="1" cache="yes" class=""]
```

 **Dummy image**
Image placeholder with random image

Width – width

Possible values: 10...1600

Default value: 500

Height – height

Possible values: 10...1600

Default value: 300

Theme – theme


Possible values: any, abstract, animals, business, cats, city, food, nightlife, fashion, people, nature, sports, technics, transport

Default value: any

Class – class

Possible values: Any custom CSS classes

```
[su_dummy_image width="500" height="300" theme="any" class=""]
```

 **Animation**
Wrapper for animation. Any

Animation – type

Possible values: flash, bounce, shake, tada, swing, wobble, pulse, flip, flipInX, flipOutX, flipInY, flipOutY, fadeIn, fadeInUp,

```
[su_animate type="bounceIn" duration="1" delay="0" inline="no" class=""]Animated content[/su_animate]
```

nested element will be animated

fadeInDown, fadeInLeft, fadeInRight, fadeInUpBig, fadeInDownBig, fadeInLeftBig, fadeInRightBig, fadeOut, fadeOutUp, fadeOutDown, fadeOutLeft, fadeOutRight, fadeOutUpBig, fadeOutDownBig, fadeOutLeftBig, fadeOutRightBig, slideInDown, slideInLeft, slideInRight, slideOutUp, slideOutLeft, slideOutRight, bounceIn, bounceInDown, bounceInUp, bounceInLeft, bounceInRight, bounceOut, bounceOutDown, bounceOutUp, bounceOutLeft, bounceOutRight, rotateIn, rotateInDownLeft, rotateInDownRight, rotateInUpLeft, rotateInUpRight, rotateOut, rotateOutDownLeft, rotateOutDownRight, rotateOutUpLeft, rotateOutUpRight, lightSpeedIn, lightSpeedOut, hinge, rollIn, rollOut

Default value: bounceIn

Duration – duration
Possible values: 0...20
Default value: 1

Delay – delay
Possible values: 0...20
Default value: 0

Inline – inline
Possible values: yes | no
Default value: no

Class – class
Possible values: Any custom CSS classes

i Meta
Post meta

Key – key
Possible values: Any text value

Default – default
Possible values: Any text value

Before – before
Possible values: Any text value

After – after
Possible values: Any text value

Post ID – post_id
Possible values: Any text value

Filter – filter
Possible values: Any text value

```
[su_meta key="" default="" before="" after="" post_id="" filter=""]
```

i User
User data

Field – field
Possible values: display_name, ID, user_login, user_nicename, user_email, user_url, user_registered, user_activation_key, user_status
Default value: display_name

Default – default

```
[su_user field="display_name" default="" before="" after="" user_id="" filter=""]
```

Possible values: Any text value

Before – before

Possible values: Any text value

After – after

Possible values: Any text value

User ID – user_id

Possible values: Any text value

Filter – filter

Possible values: Any text value

i Post
Post data

Field – field

Possible values: ID, post_author, post_date, post_date_gmt, post_content, post_title, post_excerpt, post_status, comment_status, ping_status, post_name, post_modified, post_modified_gmt, post_content_filtered, post_parent, guid, menu_order, post_type, post_mime_type, comment_count

Default value: post_title

Default – default

Possible values: Any text value

Before – before

Possible values: Any text value

After – after

Possible values: Any text value

Post ID – post_id

Possible values: Any text value

Filter – filter

Possible values: Any text value

```
[su_post field="post_title" default="" before="" after="" post_id="" filter=""]
```

+
Template
Theme
template

Template name – name

Possible values: Any text value

```
[su_template name=""]
```

QR QR code
Advanced QR
code generator

Data – data

Possible values: Any text value

Title – title

Possible values: Any text value

Size – size

Possible values: 10...1000

Default value: 200

Margin – margin

Possible values: 0...50

Default value: 0

Align – align

Possible values: none, left, center, right

Default value: none

```
[su_qrcode data="" title="" size="200" margin="0" align="none" link="" target="blank" color="#000000" background="#ffffff" class=""]
```

Link – link

Possible values: Any text value

Link target – target

Possible values: self, blank

Default value: blank

Primary color – color

Possible values: #RGB and rgba() colors

Default value: #000000

Background color – background

Possible values: #RGB and rgba() colors

Default value: #ffffff

Class – class

Possible values: Any custom CSS classes



Scheduler

Allows to show the content only at the specified time period

Time – time

Possible values: Any text value

Days of the week – days_week

Possible values: Any text value

Days of the month – days_month

Possible values: Any text value

Months – months

Possible values: Any text value

Years – years

Possible values: Any text value

Alternative text – alt

Possible values: Any text value

```
[su_scheduler time="" days_week="" days_month="" months="" years="" alt=""]Scheduled content[/su_scheduler]
```