


# Shortcodes Ultimate: Cheatsheet

[← Back to Dashboard](#)

Shortcode	Attributes	Example code
 <b>Heading</b> Styled heading	<p><b>Style</b> – style Possible values: default Default value: default</p> <p><b>Size</b> – size Possible values: 7...48 Default value: 13</p> <p><b>Align</b> – align Possible values: left, center, right Default value: center</p> <p><b>Margin</b> – margin Possible values: 0...200 Default value: 20</p> <p><b>Class</b> – class Possible values: Any custom CSS classes</p>	<pre>[su_heading style="default" size="13" align="center" margin="20" class=""]Heading text[/su_heading]</pre>
 <b>Tabs</b> Tabs container	<p><b>Style</b> – style Possible values: default Default value: default</p> <p><b>Active tab</b> – active Possible values: 1...100 Default value: 1</p> <p><b>Vertical</b> – vertical Possible values: yes   no Default value: no</p> <p><b>Class</b> – class Possible values: Any custom CSS classes</p>	<pre>[su_tabs style="default" active="1" vertical="no" class=""] [su_tab title="Title 1"]Content 1[/su_tab] [su_tab title="Title 2"]Content 2[/su_tab] [su_tab title="Title 3"]Content 3[/su_tab][/su_tabs]</pre>
 <b>Tab</b> Single tab	<p><b>Title</b> – title Possible values: Tab name Default value: Tab name</p> <p><b>Disabled</b> – disabled Possible values: yes   no Default value: no</p> <p><b>Anchor</b> – anchor Possible values: Any text value</p> <p><b>URL</b> – url Possible values: Any text value</p> <p><b>Link target</b> – target Possible values: self, blank Default value: blank</p>	<pre>[su_tab title="Tab name" disabled="no" anchor="" url="" target="blank" class=""]Tab content[/su_tab]</pre>

**Class** – class  
Possible values: Any custom CSS classes

 **Spoiler**  
Spoiler with hidden content

**Title** – title  
Possible values: Spoiler title  
Default value: Spoiler title

**Open** – open  
Possible values: yes | no  
Default value: no


**Style** – style  
Possible values: default, fancy, simple  
Default value: default

**Icon** – icon  
Possible values: plus, plus-circle, plus-square-1, plus-square-2, arrow, arrow-circle-1, arrow-circle-2, chevron, chevron-circle, caret, caret-square, folder-1, folder-2  
Default value: plus

**Anchor** – anchor  
Possible values: Any text value


**Class** – class  
Possible values: Any custom CSS classes

```
[su_spoiler title="Spoiler title" open="no" style="default" icon="plus" anchor="" class=""]Hidden content[/su_spoiler]
```

 **Accordion**  
Accordion with spoilers

**Class** – class  
Possible values: Any custom CSS classes

```
[su_accordion class=""]  
[su_spoiler]Content[/su_spoiler]  
[su_spoiler]Content[/su_spoiler]  
[su_spoiler]Content[/su_spoiler][[/su_accordion]
```

 **Divider**  
Content divider with optional TOP link

**Show TOP link** – top  
Possible values: yes | no  
Default value: yes

**Link text** – text  
Possible values: Go to top  
Default value: Go to top

**Style** – style  
Possible values: default, dotted, dashed, double  
Default value: default

**Divider color** – divider\_color  
Possible values: #RGB and rgba() colors  
Default value: #999999

**Link color** – link\_color  
Possible values: #RGB and rgba() colors  
Default value: #999999

**Size** – size  
Possible values: 0...40  
Default value: 3


**Margin** – margin  
Possible values: 0...200

```
[su_divider top="yes" text="Go to top" style="default" divider_color="#999999" link_color="#999999" size="3" margin="15" class=""]
```

Default value: 15

**Class** – class

Possible values: Any custom CSS classes

 **Spacer**  
Empty space  
with adjustable  
height

**Height** – size


Possible values: 0...800

Default value: 20

**Class** – class

Possible values: Any custom CSS classes

```
[su_spacer size="20" class=""]
```

 **Highlight**  
Highlighted text

**Background** – background

Possible values: #RGB and rgba() colors

Default value: #DDFF99

**Text color** – color


Possible values: #RGB and rgba() colors

Default value: #000000

**Class** – class

Possible values: Any custom CSS classes

```
[su_highlight background="#DDFF99" color="#000000" class=""]Highlighted text[/su_highlight]
```

 **Label**  
Styled label

**Type** – type


Possible values: default, success, warning, important, black, info

Default value: default

**Class** – class

Possible values: Any custom CSS classes

```
[su_label type="default" class=""]Label[/su_label]
```

 **Quote**  
Blockquote  
alternative

**Style** – style

Possible values: default

Default value: default

**Cite** – cite

Possible values: Any text value


**Cite url** – url

Possible values: Any text value

**Class** – class

Possible values: Any custom CSS classes

```
[su_quote style="default" cite="" url="" class=""]Quote[/su_quote]
```

 **Pullquote**  
Pullquote

**Align** – align

Possible values: left, right

Default value: left

**Class** – class

Possible values: Any custom CSS classes

```
[su_pullquote align="left" class=""]Pullquote[/su_pullquote]
```

**B**  
**Dropcap**  
Dropcap

**Style** – style

Possible values: default, flat, light, simple

Default value: default


**Size** – size

Possible values: 1...5

Default value: 3

```
[su_dropcap style="default" size="3" class=""]D[/su_dropcap]
```


**Class** – class  
Possible values: Any custom CSS classes

 **Frame**  
Styled image  
frame

**Align** – align  
Possible values: left, center, right  
Default value: left


```
[su_frame align="left" class=""][/su_frame]
```

**Class** – class  
Possible values: Any custom CSS classes

 **Row**  
Row for flexible  
columns

**Class** – class  
Possible values: Any custom CSS classes

```
[su_row class=""] [su_column  
size="1/3"]Content[/su_column]  
[su_column size="1/3"]Content[/su_column]  
[su_column size="1/3"]Content[/su_column] [/su_row]
```


 **Column**  
Flexible and  
responsive  
columns

**Size** – size  
Possible values: 1/1, 1/2, 1/3, 2/3, 1/4, 3/4,  
1/5, 2/5, 3/5, 4/5, 1/6, 5/6  
Default value: 1/2

```
[su_column size="1/2" center="no" class=""]Column  
content[/su_column]
```

**Centered** – center  
Possible values: yes | no  
Default value: no

**Class** – class  
Possible values: Any custom CSS classes


 **List**  
Styled  
unordered list

**Icon** – icon  
Possible values: icon: music, icon: envelope ...  
[full list](#)

```
[su_list icon="" icon_color="#333333" class=""]<ul>  
<li>List item</li>  
<li>List item</li>  
<li>List item</li>  
</ul>[/su_list]
```

**Icon color** – icon\_color  
Possible values: #RGB and rgba() colors  
Default value: #333333

**Class** – class  
Possible values: Any custom CSS classes

 **Button**  
Styled button

**Link** – url  
Possible values:  
http://member.belajarbisnisinternet.com  
Default value:  
http://member.belajarbisnisinternet.com

```
[su_button  
url="http://member.belajarbisnisinternet.com"  
target="self" style="default" background="#2D89EF"  
color="#FFFFFF" size="3" wide="no" center="no"  
radius="auto" icon="" icon_color="#FFFFFF"  
text_shadow="none" desc="" onclick="" rel="" title=""  
class=""]Button text[/su_button]
```

**Target** – target  
Possible values: self, blank  
Default value: self

**Style** – style  
Possible values: default, flat, ghost, soft,  
glass, bubbles, noise, stroked, 3d  
Default value: default

**Background** – background  
Possible values: #RGB and rgba() colors  
Default value: #2D89EF

**Text color** – color  
Possible values: #RGB and rgba() colors  
Default value: #FFFFFF

**Size** – size

Possible values: 1...20

Default value: 3

**Fluid** – wide

Possible values: yes | no

Default value: no

**Centered** – center

Possible values: yes | no

Default value: no

**Radius** – radius

Possible values: auto, round, 0, 5, 10, 20

Default value: auto

**Icon** – icon

Possible values: icon: music, icon: envelope ...

[full list](#)**Icon color** – icon\_color

Possible values: #RGB and rgba() colors

Default value: #FFFFFF

**Text shadow** – text\_shadow

Possible values: none

Default value: none

**Description** – desc

Possible values: Any text value

**onClick** – onclick

Possible values: Any text value

**Rel attribute** – rel

Possible values: Any text value

**Title attribute** – title

Possible values: Any text value

**Class** – class

Possible values: Any custom CSS classes

 **Service**Service box  
with title**Title** – title

Possible values: Service title

Default value: Service title

**Icon** – icon

Possible values: icon: music, icon: envelope ...

[full list](#)**Icon color** – icon\_color

Possible values: #RGB and rgba() colors

Default value: #333333

**Icon size** – size

Possible values: 10...128

Default value: 32

```
[su_service title="Service title" icon=""
icon_color="#333333" size="32" class=""]Service
description[/su_service]
```

**Class** – class

Possible values: Any custom CSS classes

 **Box**

Colored box  
with caption

**Title** – title

Possible values: Box title

Default value: Box title

**Style** – style

Possible values: default, soft, glass, bubbles,  
noise

Default value: default

**Color** – box\_color

Possible values: #RGB and rgba() colors

Default value: #333333

**Title text color** – title\_color

Possible values: #RGB and rgba() colors

Default value: #FFFFFF

**Radius** – radius


Possible values: 0...20

Default value: 3

**Class** – class

Possible values: Any custom CSS classes

```
[su_box title="Box title" style="default"
box_color="#333333" title_color="#FFFFFF" radius="3"
class=""]Box content[/su_box]
```

 **Note**

Colored box

**Background** – note\_color

Possible values: #RGB and rgba() colors

Default value: #FFFF66

**Text color** – text\_color

Possible values: #RGB and rgba() colors

Default value: #333333

**Radius** – radius

Possible values: 0...20

Default value: 3

**Class** – class

Possible values: Any custom CSS classes

```
[su_note note_color="#FFFF66" text_color="#333333"
radius="3" class=""]Note text[/su_note]
```

 **Expand**

Expandable text  
block

**More text** – more\_text

Possible values: Show more

Default value: Show more

**Less text** – less\_text

Possible values: Show less

Default value: Show less

**Height** – height

Possible values: 0...1000

Default value: 100

**Hide less link** – hide\_less

Possible values: yes | no

Default value: no

**Text color** – text\_color

```
[su_expand more_text="Show more" less_text="Show less"
height="100" hide_less="no" text_color="#333333"
link_color="#0088FF" link_style="default"
link_align="left" more_icon="" less_icon=""
class=""]This text block can be expanded[/su_expand]
```

Possible values: #RGB and rgba() colors

Default value: #333333

**Link color** – link\_color

Possible values: #RGB and rgba() colors

Default value: #0088FF

**Link style** – link\_style

Possible values: default, underlined, dotted, dashed, button

Default value: default

**Link align** – link\_align

Possible values: left, center, right

Default value: left

**More icon** – more\_icon

Possible values: icon: music, icon: envelope ...

[full list](#)

**Less icon** – less\_icon

Possible values: icon: music, icon: envelope ...

[full list](#)

**Class** – class

Possible values: Any custom CSS classes



**Lightbox**

Lightbox window with custom content

**Content type** – type

Possible values: iframe, image, inline

Default value: iframe

**Content source** – src

Possible values: Any text value

**Class** – class

Possible values: Any custom CSS classes

```
[su_lightbox type="iframe" src="" class=""][su_button]
Click Here to Watch the Video [/su_button]
[/su_lightbox]
```



**Lightbox content**

Inline content for lightbox

**ID** – id

Possible values: Any text value

**Width** – width

Possible values: 50%

Default value: 50%

**Margin** – margin

Possible values: 0...600

Default value: 40

**Padding** – padding

Possible values: 0...600

Default value: 40

**Text alignment** – text\_align

Possible values: left, center, right

Default value: center

**Background color** – background

Possible values: #RGB and rgba() colors


Default value: #FFFFFF

```
[su_lightbox_content id="" width="50%" margin="40"
padding="40" text_align="center" background="#FFFFFF"
color="#333333" shadow="0px 0px 15px #333333"
class=""]Inline content[/su_lightbox_content]
```

**Text color** – color  
Possible values: #RGB and rgba() colors  
Default value: #333333

**Shadow** – shadow  
Possible values: 0px 0px 15px #333333  
Default value: 0px 0px 15px #333333

**Class** – class  
Possible values: Any custom CSS classes

 **Tooltip**  
Tooltip window  
with custom  
content

**Style** – style  
Possible values: light, dark, yellow, green, red, blue, youtube, tipsy, bootstrap, jtools, tipped, cluetip  
Default value: yellow

**Position** – position  
Possible values: north, south, west, east  
Default value: top

**Shadow** – shadow  
Possible values: yes | no  
Default value: no

**Rounded corners** – rounded  
Possible values: yes | no  
Default value: no

**Font size** – size  
Possible values: default, 1, 2, 3, 4, 5, 6  
Default value: default

**Tooltip title** – title  
Possible values: Any text value


**Tooltip content** – content  
Possible values: Tooltip text  
Default value: Tooltip text

**Behavior** – behavior  
Possible values: hover, click, always  
Default value: hover

**Close button** – close  
Possible values: yes | no  
Default value: no

**Class** – class  
Possible values: Any custom CSS classes

```
[su_tooltip style="yellow" position="top" shadow="no" rounded="no" size="default" title="" content="Tooltip text" behavior="hover" close="no" class=""][su_button] Hover me to open tooltip [/su_button][su_tooltip]
```

 **Private**  
Private note for  
post authors

**Class** – class  
Possible values: Any custom CSS classes

```
[su_private class=""]Private note text[/su_private]
```

 **YouTube**  
YouTube video

**Url** – url  
Possible values: Any text value

```
[su_youtube url="" width="600" height="400" responsive="yes" autoplay="no" class=""]
```

**Width** – width  
Possible values: 200...1600



Default value: 600

**Height** – height

Possible values: 200...1600

Default value: 400

**Responsive** – responsive

Possible values: yes | no

Default value: yes

**Autoplay** – autoplay

Possible values: yes | no

Default value: no

**Class** – class

Possible values: Any custom CSS classes



## YouTube Advanced

YouTube video player with advanced settings

**Url** – url

Possible values: Any text value

**Playlist** – playlist

Possible values: Any text value

**Width** – width

Possible values: 200...1600

Default value: 600

**Height** – height

Possible values: 200...1600

Default value: 400

**Responsive** – responsive

Possible values: yes | no

Default value: yes

**Controls** – controls

Possible values: no, yes, alt

Default value: yes

**Autohide** – autohide

Possible values: no, yes, alt

Default value: alt

**Show title bar** – showinfo

Possible values: yes | no

Default value: yes

**Autoplay** – autoplay

Possible values: yes | no

Default value: no

**Loop** – loop

Possible values: yes | no

Default value: no

**Related videos** – rel

Possible values: yes | no

Default value: yes

```
[su_youtube_advanced url="" playlist="" width="600" height="400" responsive="yes" controls="yes" autohide="alt" showinfo="yes" autoplay="no" loop="no" rel="yes" fs="yes" modestbranding="no" theme="dark" https="no" wmode="" class=""]
```

**Show full-screen button** – fs

Possible values: yes | no

Default value: yes

**modestbranding** – modestbranding

Possible values: yes | no

Default value: no

**Theme** – theme

Possible values: dark, light

Default value: dark

**Force HTTPS** – https

Possible values: yes | no

Default value: no

**WMode** – wmode

Possible values: Any text value

**Class** – class

Possible values: Any custom CSS classes



Vimeo

Vimeo video

**Url** – url

Possible values: Any text value

**Width** – width

Possible values: 200...1600

Default value: 600

**Height** – height

Possible values: 200...1600

Default value: 400

**Responsive** – responsive

Possible values: yes | no

Default value: yes

**Autoplay** – autoplay


Possible values: yes | no

Default value: no

**Class** – class

Possible values: Any custom CSS classes

```
[su_vimeo url="" width="600" height="400" responsive="yes" autoplay="no" class=""]
```



Screenr

Screenr video

**Url** – url

Possible values: Any text value

**Width** – width

Possible values: 200...1600

Default value: 600

**Height** – height

Possible values: 200...1600

Default value: 400


**Responsive** – responsive

Possible values: yes | no

Default value: yes

```
[su_screenr url="" width="600" height="400" responsive="yes" class=""]
```

**Class** – class  
Possible values: Any custom CSS classes

 **Dailymotion**  
Dailymotion  
video

**Url** – url  
Possible values: Any text value

**Width** – width  
Possible values: 200...1600  
Default value: 600

**Height** – height  
Possible values: 200...1600  
Default value: 400

**Responsive** – responsive  
Possible values: yes | no  
Default value: yes

**Autoplay** – autoplay  
Possible values: yes | no  
Default value: no

**Background color** – background  
Possible values: #RGB and rgba() colors  
Default value: #FFC300

**Foreground color** – foreground  
Possible values: #RGB and rgba() colors  
Default value: #F7FFFD

**Highlight color** – highlight  
Possible values: #RGB and rgba() colors  
Default value: #171D1B

**Show logo** – logo  
Possible values: yes | no  
Default value: yes


**Quality** – quality  
Possible values: 240, 380, 480, 720, 1080  
Default value: 380

**Show related videos** – related  
Possible values: yes | no  
Default value: yes

**Show video info** – info  
Possible values: yes | no  
Default value: yes

**Class** – class  
Possible values: Any custom CSS classes

```
[su_dailymotion url="" width="600" height="400" responsive="yes" autoplay="no" background="#FFC300" foreground="#F7FFFD" highlight="#171D1B" logo="yes" quality="380" related="yes" info="yes" class=""]
```

 **Audio**  
Custom audio  
player

**File** – url  
Possible values: Any text value

**Width** – width  
Possible values: 100%  
Default value: 100%

```
[su_audio url="" width="100%" autoplay="no" loop="no" class=""]
```

**Autoplay** – autoplay

Possible values: yes | no

Default value: no

**Loop** – loop

Possible values: yes | no

Default value: no

**Class** – class

Possible values: Any custom CSS classes

**Video**  
Custom video  
player

**File** – url

Possible values: Any text value

**Poster** – poster

Possible values: Any text value

**Title** – title

Possible values: Any text value

**Width** – width

Possible values: 200...1600

Default value: 600

**Height** – height

Possible values: 200...1600

Default value: 300

**Controls** – controls

Possible values: yes | no

Default value: yes

**Autoplay** – autoplay

Possible values: yes | no

Default value: no

**Loop** – loop

Possible values: yes | no

Default value: no

**Class** – class

Possible values: Any custom CSS classes

```
[su_video url="" poster="" title="" width="600" height="300" controls="yes" autoplay="no" loop="no" class=""]
```

**Table**  
Styled table  
from HTML or  
CSV file

**CSV file** – url

Possible values: Any text value

**Class** – class

Possible values: Any custom CSS classes

```
[su_table url="" class=""]
```

**Permalink**  
Permalink to  
specified  
post/page

**ID** – id

Possible values: 1

Default value: 1

**Target** – target







Possible values: self, blank

Default value: self

**Class** – class

```
[su_permalink id="1" target="self" class=""]
```

Possible values: Any custom CSS classes

<p> <b>Members</b> Content for logged in members only</p>	<p><b>Message</b> – message Possible values: This content is for registered users only. Please %login%. Default value: This content is for registered users only. Please %login%.</p> <p><b>Box color</b> – color Possible values: #RGB and rgba() colors Default value: #ffcc00</p> <p><b>Login link text</b> – login_text Possible values: login Default value: login</p> <p><b>Login link url</b> – login_url Possible values: http://member.belajarbisnisinternet.com/wp-login.php Default value: http://member.belajarbisnisinternet.com/wp-login.php</p> <p><b>Class</b> – class Possible values: Any custom CSS classes</p>	<pre>[su_members message="This content is for registered users only. Please %login%." color="#ffcc00" login_text="login" login_url="http://member.belajarbisnisinternet.com/wp-login.php" class=""]Content for logged members[/su_members]</pre>
<p> <b>Guests</b> Content for guests only</p>	<p><b>Class</b> – class Possible values: Any custom CSS classes</p>	<pre>[su_guests class=""]Content for guests[/su_guests]</pre>
<p> <b>RSS Feed</b> Feed grabber</p>	<p><b>Url</b> – url Possible values: Any text value</p> <p><b>Limit</b> – limit Possible values: 1...20 Default value: 3</p> <p><b>Class</b> – class Possible values: Any custom CSS classes</p>	<pre>[su_feed url="" limit="3" class=""]</pre>
<p> <b>Menu</b> Custom menu by name</p>	<p><b>Menu name</b> – name Possible values: Any text value</p> <p><b>Class</b> – class Possible values: Any custom CSS classes</p>	<pre>[su_menu name="" class=""]</pre>
<p> <b>Sub pages</b> List of sub pages</p>	<p><b>Depth</b> – depth Possible values: 0, 1, 2, 3, 4 Default value: 1</p> <p><b>Parent ID</b> – p Possible values: Any text value</p> <p><b>Class</b> – class Possible values: Any custom CSS classes</p>	<pre>[su_subpages depth="1" p="" class=""]</pre>
<p> <b>Siblings</b> List of cureent page siblings</p>	<p><b>Depth</b> – depth Possible values: 0, 1, 2 Default value: 1</p>	<pre>[su_siblings depth="1" class=""]</pre>

**Class** – class

Possible values: Any custom CSS classes



### Document

Document

viewer by

Google

**Url** – url

Possible values: Any text value

**Width** – width

Possible values: 200...1600

Default value: 600

**Height** – height

Possible values: 200...1600

Default value: 600

**Responsive** – responsive

Possible values: yes | no

Default value: yes

**Class** – class

Possible values: Any custom CSS classes

```
[su_document url="" width="600" height="600" responsive="yes" class=""]
```



### Gmap

Maps by Google

**Width** – width

Possible values: 200...1600

Default value: 600

**Height** – height

Possible values: 200...1600

Default value: 400

**Responsive** – responsive

Possible values: yes | no

Default value: yes

**Marker** – address

Possible values: Any text value

**Class** – class

Possible values: Any custom CSS classes

```
[su_gmap width="600" height="400" responsive="yes" address="" class=""]
```



### Slider

Customizable

image slider

**Source** – source

Possible values: none

Default value: none

**Limit** – limit

Possible values: -1...100

Default value: 20

**Links** – link

Possible values: none, image, lightbox, custom, attachment, post

Default value: none

**Links target** – target

Possible values: self, blank

Default value: self

**Width** – width

Possible values: 200...1600

```
[su_slider source="none" limit="20" link="none" target="self" width="600" height="300" responsive="yes" title="yes" centered="yes" arrows="yes" pages="yes" mousewheel="yes" autoplay="5000" speed="600" class=""]
```

Default value: 600

**Height** – height

Possible values: 200...1600

Default value: 300

**Responsive** – responsive

Possible values: yes | no

Default value: yes

**Show titles** – title

Possible values: yes | no

Default value: yes

**Center** – centered

Possible values: yes | no

Default value: yes

**Arrows** – arrows

Possible values: yes | no

Default value: yes

**Pagination** – pages

Possible values: yes | no

Default value: yes

**Mouse wheel control** – mousewheel

Possible values: yes | no

Default value: yes

**Autoplay** – autoplay

Possible values: 0...100000

Default value: 5000

**Speed** – speed

Possible values: 0...20000

Default value: 600

**Class** – class

Possible values: Any custom CSS classes



**Carousel**

Customizable  
image carousel

**Source** – source

Possible values: none

Default value: none

**Limit** – limit

Possible values: -1...100

Default value: 20

**Links** – link

Possible values: none, image, lightbox,  
custom, attachment, post

Default value: none

**Links target** – target

Possible values: self, blank

Default value: self

**Width** – width

```
[su_carousel source="none" limit="20" link="none" target="self" width="600" height="100" responsive="yes" items="3" scroll="1" title="yes" centered="yes" arrows="yes" pages="no" mousewheel="yes" autoplay="5000" speed="600" class=""]
```

Possible values: 100...1600

Default value: 600

**Height** – height

Possible values: 20...1600

Default value: 100

**Responsive** – responsive

Possible values: yes | no

Default value: yes

**Items to show** – items

Possible values: 1...20

Default value: 3

**Scroll number** – scroll

Possible values: 1...20

Default value: 1

**Show titles** – title

Possible values: yes | no

Default value: yes

**Center** – centered

Possible values: yes | no

Default value: yes

**Arrows** – arrows

Possible values: yes | no

Default value: yes

**Pagination** – pages

Possible values: yes | no

Default value: no

**Mouse wheel control** – mousewheel

Possible values: yes | no

Default value: yes

**Autoplay** – autoplay

Possible values: 0...100000

Default value: 5000


**Speed** – speed

Possible values: 0...20000

Default value: 600

**Class** – class

Possible values: Any custom CSS classes

 **Gallery**  
Customizable  
image gallery

**Source** – source

Possible values: none

Default value: none

**Limit** – limit

Possible values: -1...100

Default value: 20

**Links** – link

```
[su_custom_gallery source="none" limit="20"
link="none" target="self" width="90" height="90"
title="hover" class=""]
```



**Possible values:** none, image, lightbox, custom, attachment, post

**Default value:** none

**Links target** – target

**Possible values:** self, blank

**Default value:** self

**Width** – width

**Possible values:** 10...1600

**Default value:** 90

**Height** – height

**Possible values:** 10...1600

**Default value:** 90

**Show titles** – title

**Possible values:** never, hover, always

**Default value:** hover

**Class** – class

**Possible values:** Any custom CSS classes

## ☰ Posts

Custom posts query with customizable template

**Template** – template

**Possible values:** templates/default-loop.php

**Default value:** templates/default-loop.php

**Post ID's** – id

**Possible values:** Any text value

**Posts per page** – posts\_per\_page

**Possible values:** -1...10000

**Default value:** 10

**Post types** – post\_type

**Possible values:** post, page, attachment, revision, nav\_menu\_item, wpcf7\_contact\_form

**Default value:** post

**Taxonomy** – taxonomy

**Possible values:** category, post\_tag, nav\_menu, link\_category, post\_format

**Default value:** category

**Terms** – tax\_term

**Possible values:** 1

**Taxonomy term operator** – tax\_operator

**Possible values:** 0, 1, 2

**Default value:** IN

**Authors** – author

**Possible values:** Any text value

**Meta key** – meta\_key

**Possible values:** Any text value

**Offset** – offset

**Possible values:** 0...10000

```
[su_posts template="templates/default-loop.php" id="" posts_per_page="10" post_type="post" taxonomy="category" tax_term="" tax_operator="IN" author="" meta_key="" offset="0" order="DESC" orderby="date" post_parent="" post_status="publish" ignore_sticky_posts="no"]
```

Default value: 0

**Order** – order

Possible values: desc, asc

Default value: DESC

**Order by** – orderby

Possible values: none, id, author, title, name, date, modified, parent, rand, comment\_count, menu\_order, meta\_value

Default value: date

**Post parent** – post\_parent

Possible values: Any text value

**Post status** – post\_status


Possible values: publish, pending, draft, auto-draft, future, private, inherit, trash, any

Default value: publish

**Ignore sticky** – ignore\_sticky\_posts

Possible values: yes | no

Default value: no

 **Dummy text**  
Text placeholder

**What** – what

Possible values: paras, words, bytes

Default value: paras

**Amount** – amount

Possible values: 1...100

Default value: 1

**Cache** – cache


Possible values: yes | no

Default value: yes

**Class** – class

Possible values: Any custom CSS classes

```
[su_dummy_text what="paras" amount="1" cache="yes" class=""]
```

 **Dummy image**  
Image placeholder with random image

**Width** – width

Possible values: 10...1600

Default value: 500

**Height** – height

Possible values: 10...1600

Default value: 300

**Theme** – theme


Possible values: any, abstract, animals, business, cats, city, food, nightlife, fashion, people, nature, sports, technics, transport

Default value: any

**Class** – class

Possible values: Any custom CSS classes

```
[su_dummy_image width="500" height="300" theme="any" class=""]
```

 **Animation**  
Wrapper for animation. Any

**Animation** – type

Possible values: flash, bounce, shake, tada, swing, wobble, pulse, flip, flipInX, flipOutX, flipInY, flipOutY, fadeIn, fadeInUp,

```
[su_animate type="bounceIn" duration="1" delay="0" inline="no" class=""]Animated content[/su_animate]
```

nested element will be animated

fadeInDown, fadeInLeft, fadeInRight, fadeInUpBig, fadeInDownBig, fadeInLeftBig, fadeInRightBig, fadeOut, fadeOutUp, fadeOutDown, fadeOutLeft, fadeOutRight, fadeOutUpBig, fadeOutDownBig, fadeOutLeftBig, fadeOutRightBig, slideInDown, slideInLeft, slideInRight, slideOutUp, slideOutLeft, slideOutRight, bounceIn, bounceInDown, bounceInUp, bounceInLeft, bounceInRight, bounceOut, bounceOutDown, bounceOutUp, bounceOutLeft, bounceOutRight, rotateIn, rotateInDownLeft, rotateInDownRight, rotateInUpLeft, rotateInUpRight, rotateOut, rotateOutDownLeft, rotateOutDownRight, rotateOutUpLeft, rotateOutUpRight, lightSpeedIn, lightSpeedOut, hinge, rollIn, rollOut

Default value: bounceIn

**Duration** – duration  
Possible values: 0...20  
Default value: 1

**Delay** – delay  
Possible values: 0...20  
Default value: 0

**Inline** – inline  
Possible values: yes | no  
Default value: no

**Class** – class  
Possible values: Any custom CSS classes

**Meta** Post meta

**Key** – key  
Possible values: Any text value

**Default** – default  
Possible values: Any text value

**Before** – before  
Possible values: Any text value

**After** – after  
Possible values: Any text value

**Post ID** – post\_id  
Possible values: Any text value

**Filter** – filter  
Possible values: Any text value

```
[su_meta key="" default="" before="" after="" post_id="" filter=""]
```

**User** User data

**Field** – field  
Possible values: display\_name, ID, user\_login, user\_nicename, user\_email, user\_url, user\_registered, user\_activation\_key, user\_status  
Default value: display\_name

**Default** – default

```
[su_user field="display_name" default="" before="" after="" user_id="" filter=""]
```

Possible values: Any text value

**Before** – before

Possible values: Any text value

**After** – after

Possible values: Any text value

**User ID** – user\_id

Possible values: Any text value

**Filter** – filter

Possible values: Any text value

**i** Post  
Post data

**Field** – field

Possible values: ID, post\_author, post\_date, post\_date\_gmt, post\_content, post\_title, post\_excerpt, post\_status, comment\_status, ping\_status, post\_name, post\_modified, post\_modified\_gmt, post\_content\_filtered, post\_parent, guid, menu\_order, post\_type, post\_mime\_type, comment\_count

Default value: post\_title

**Default** – default

Possible values: Any text value

**Before** – before

Possible values: Any text value

**After** – after

Possible values: Any text value

**Post ID** – post\_id

Possible values: Any text value

**Filter** – filter

Possible values: Any text value

```
[su_post field="post_title" default="" before="" after="" post_id="" filter=""]
```

**+**  
Template  
Theme  
template

**Template name** – name

Possible values: Any text value

```
[su_template name=""]
```

**QR** QR code  
Advanced QR  
code generator

**Data** – data

Possible values: Any text value

**Title** – title

Possible values: Any text value

**Size** – size

Possible values: 10...1000

Default value: 200

**Margin** – margin

Possible values: 0...50

Default value: 0

**Align** – align

Possible values: none, left, center, right

Default value: none

```
[su_qrcode data="" title="" size="200" margin="0" align="none" link="" target="blank" color="#000000" background="#ffffff" class=""]
```

**Link** – link

Possible values: Any text value

**Link target** – target

Possible values: self, blank

Default value: blank

**Primary color** – color

Possible values: #RGB and rgba() colors

Default value: #000000

**Background color** – background

Possible values: #RGB and rgba() colors

Default value: #ffffff

**Class** – class

Possible values: Any custom CSS classes



**Scheduler**

Allows to show the content only at the specified time period

**Time** – time

Possible values: Any text value

**Days of the week** – days\_week

Possible values: Any text value

**Days of the month** – days\_month

Possible values: Any text value

**Months** – months

Possible values: Any text value

**Years** – years

Possible values: Any text value

**Alternative text** – alt

Possible values: Any text value

```
[su_scheduler time="" days_week="" days_month="" months="" years="" alt=""]Scheduled content[/su_scheduler]
```